

Page: 1

CALCIUM ACETATE (Pure Grade)

IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name : CALCIUM ACETATE (Pure Grade)

Product code PG007

Identification of the product : CALCIUM ACETATE (Pure Grade)

CAS No:114460-21-8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use : Industrial. For professional use only.

1.3. Details of the supplier of the safety data sheet

Company identification : Hexon Laboratories Pvt. Ltd.

1/14, Govind Building, Ardeshir dadi street,

Charni Road, Mumbai - 400 004.

Ph. No.: 9028003459

E-mail: customercare@hexonlab.com

Web: www.hexonlab.com

2. HAZARDS IDENTIFICATION -DSD

2.1. Classification of the substance or mixture

Classification EC 67/548 or EC 1999/45

Classification : Xi; R36/37/38

Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)

Health hazards : Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -

Category 3 - Warning (CLP: STOT SE 3) H335

Skin irritation - Category 2 - Warning (CLP : Skin Corr. 2) H315 Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319

2.2. Label elements

Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s) : Xn : Harmful

R Phrase(s) R36/37/38 : Irritating to eyes, respiratory system and skin.

: S26 : In case of contact with eyes, rinse immediately with plenty of water and seek me

advice.

S Phrase(s) S36 : Wear suitable protective clothing.

Office: 1/14, Govind Building, 69 Ardeshir Dadi Street, Charni Road, Mumbai – 400 004, Maharashtra, India Tel: 9028003459, Email: customercare@hexonlab.com Web: www.hexonlab.com



CALCIUM ACETATE (Pure Grade)

Labelling Regulation EC 1272/2008 (CLP)

Hazard pictograms



Signal words : Warning

Hazard statements : H319 : Causes serious eye irritation.

H315: Causes skin irritation.

H335: May cause respiratory irritation.

Precautionary statements

• **Prevention** : P280: Wear protective gloves, protective clothing, eye protection, face protection.

P271: Use only outdoors or in a well-ventilated area.

P261: Avoid breathing dust, fume, gas, mist, vapours, spray.

P264: Wash thoroughly after handling.

• **Response** : P302+P352: IF ON SKIN : Wash with plenty of soap and water.

P332+P313: If skin irritation occurs : Get medical advice.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Page: 2

Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position

comfortable for breathing.

P363: Wash contaminated clothing before reuse.

• Storage : P403+P233: Store in well-ventilated place. Keep container tightly closed.

P405: Store locked up.

• Disposal considerations : P501: Dispose of this material and its container to hazardous or special waste

collection point, in accordance with local, regional, national and/or international

regulation.

2.3. Other hazards

Other hazards : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Preparation : CALCIUM ACETATE (Pure Grade)

CAS No :114460-21-8

Substance.

Contains no other components or impurities which will influence the classification of the product.

4. FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation : Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep

at rest in a position comfortable for breathing.

Skin contact : Get medical advice. If skin irritation occurs : Wash with plenty of soap and water.

Wash contaminated clothing before reuse. Specific treatment (see on this label).

Eye contact: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse

Office: 1/14, Govind Building, 69 Ardeshir Dadi Street, Charni Road, Mumbai – 400 004, Maharashtra, India Tel: 9028003459, Email: customercare@hexonlab.com Web: www.hexonlab.com



Page: 3

CALCIUM ACETATE (Pure Grade)

cautiously with water for several minutes. If eye irritation persists: Get medical

advice.

Ingestion : Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms relating to use : Causes serious eye irritation.

Causes skin irritation. May cause respiratory irritation.

4.3. Indication of any immediate medical attention and special treatment needed

General information : Never give anything by mouth to an unconscious person. If you feel unwell, seek

medical advice (show the label where possible).

5. FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Surrounding fires : Use water spray or fog for cooling exposed containers.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Under fire conditions, hazardous fumes will be present.

5.3. Advice for fire-fighters

Protection against fire : Do not enter fire area without proper protective equipment, including respiratory

protection

Special procedures : Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to

enter environment.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders : Equip cleanup crew with proper protection.

Ventilate area.

For non-emergency personnel : Evacuate unnecessary personnel.

6.2. Environmental precautions

Environmental precautions : Prevent entry to sewers and public waters. Notify authorities if product enters

sewers or public waters.

6.3. Methods and material for containment and cleaning up

Clean up methods : On land, sweep or shovel into suitable containers. Minimize generation of dust.



Page: 4

CALCIUM ACETATE (Pure Grade)

Store away from other materials.

6.4. Reference to other sections

See section 8. Exposure controls/personal protection

7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling : Wash thoroughly after handling. Wash thoroughly after handling. Use only

outdoors

or in a well-ventilated area.

Technical protective measures : Provide good ventilation in process area to prevent formation of vapour.

Special precautions : Avoid breathing dust, fume, gas, mist, vapours, spray.

7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep only in the original container in a cool, well ventilated place. Keep container

tightly closed.

Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

Specific end use(s) : None.

8. EXPOSURE CONTROLS/PERSONAL PROTECTATION

8.1. Exposure controls

Personal protection : Avoid all unnecessary exposure.

Respiratory protection : Wear approved mask.
 Hand protection : Wear protective gloves.

Skin protection
 Eye protection
 Chemical goggles or safety glasses.
 Others
 Wear suitable protective clothing.
 Chemical goggles or safety glasses.
 When using, do not eat, drink or smoke.

8.2. Control parameters

Occupational Exposure Limits : No data available.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state at 20 ℃ : Solid.

Colour : White crystalline
Odour : Slight acetic acid odor

Office: 1/14, Govind Building, 69 Ardeshir Dadi Street, Charni Road, Mumbai – 400 004, Maharashtra, India Tel: 9028003459, Email: customercare@hexonlab.com Web: www.hexonlab.com



Page: 5

CALCIUM ACETATE (Pure Grade)

Odour threshold : No data available. pH value : Not applicable.

Melting point [℃] : 160 ℃ Decomposition point [℃] : N/A Critical temperature [℃] : N/A Auto-ignition temperature [℃] : N/A Flammability (solid, gas) : N/A Flash point [℃] : N/A Boiling point [℃] : N/A Initial boiling point [℃] : N/A Final boiling point [℃] : N/A : N/A **Evaporation rate** Vapour pressure [20℃] : N/A Vapour pressure mm/Hg : N/A Vapour density : N/A Density [g/cm3] : 1,5 Relative density, gas (air=1) : N/A Relative density, liquid (water=1) : N/A

Solubility in water [% weight] : Slightly soluble in

Solubility in water : N/A

Log Pow octanol / water at 20℃ : No data available.

Solubility : 7.6 Viscosity at 40℃ [mm2/s] : N/A

9.2. Other information

Explosive properties : N/A
Explosion limits - upper [%] : N/A
Explosion limits - lower [%] : N/A

Oxidising properties : No data available.

10. Stability and reactivity

10.1. Reactivity

Reactivity : Not established.

10.2. Chemical stability

Chemical stability : Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions : Not established.



Page: 6

CALCIUM ACETATE (Pure Grade)

10.4. Conditions to avoid

Conditions to avoid : Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Materials to avoid : Strong acids. Strong bases.

10.6. Hazardous decomposition products

Hazardous decomposition products : Fumes. Carbon monoxide. Carbon dioxide.

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Inhalation
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Ingestion
 Based on available data, the classification criteria are not met.
 Corrosion
 Based on available data, the classification criteria are not met.

Irritation : Causes serious eye irritation.

Causes skin irritation.

May cause respiratory irritation.

Sensitization : Based on available data, the classification criteria are not met.

Mutagenicity : Based on available data, the classification criteria are not met.

Carcinogenicity : Based on available data, the classification criteria are not met.

Toxic for reproduction : Based on available data, the classification criteria are not met.

STOT-single exposure : Based on available data, the classification criteria are not met.

STOT-repeated exposure : Based on available data, the classification criteria are not met.

Aspiration hazard : Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Toxicity information : Not established.

12.2. Persistence - degradability

Persistence - degradability : Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential : Not established.



Page: 7

CALCIUM ACETATE (Pure Grade)

12.4. Mobility in soil

Mobility in soil : Not established.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB

substance according to Annex XIII of Regulation REACH.

12.6. Other adverse effects

Environmental precautions : Avoid release to the environment.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

General : Avoid release to the environment. Dispose in a safe manner in accordance with

local/national regulations.

14. TRANSPORT INFORMATION

14.1. Land transport (ADR-RID)

General information : Not regulated.

14.2. Sea transport (IMDG) [English only]

General information : Not regulated.

14.3. Air transport (ICAO-IATA) [English only]

General information : Not regulated.

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental

regulations/legislation specific for the

substance or mixture

: Ensure all national/local regulations are observed.

REACH Restrictions - Annex XVII : The components of this product are not subject to restrictions. **REACH Authorisation - Annex XIV** : The components of this product are not subject to authorization.

15.2. Chemical Safety Assessment

: It has not been carried out. **Chemical Safety Assessment**

16. OTHER INFORMATION

Office: 1/14, Govind Building, 69 Ardeshir Dadi Street, Charni Road, Mumbai – 400 004, Maharashtra, India Tel: 9028003459, Email: customercare@hexonlab.com Web: www.hexonlab.com



CALCIUM ACETATE (Pure Grade)

Revision - See : *

Abbreviations and acronyms : PBT: persistent, bioaccumulative and toxic. vPvB: very persistent and very

bioaccumulative

Sources of key data used : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF

THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and

Page: 8

1999/45/EC, and amending Regulation (EC) No 1907/2006

In accordance with REACH Regulation (CE) No 1907/2006 and with CLP Regulation (CE) No 1272/2008

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.